







# SUNBRELLA®

## PLUS


---





● Recommended  
Recommandé


● Possible



Papyrus <sup>UPF 50+</sup>  
SUNTT P055 152




DIMENSIONAL  
STABILITY  
Stabilité dimensionnelle




WATER  
RESISTANCE  
Imperméabilité




BREATHABLE  
COMFORT  
Respirant




Oyster <sup>UPF 50+</sup>  
SUNTT 5030 152




Silver <sup>UPF 50+</sup>  
SUNTT 5035 152



Natural <sup>UPF 40</sup>  
SUNTT 5020 152




Toast <sup>UPF 50+</sup>  
SUNTT 5528 152




Dune <sup>UPF 50+</sup>  
SUNTT 5026 152




Beige Chiné <sup>UPF 50+</sup>  
SUNTT 5089 152




Flax <sup>UPF 50+</sup>  
SUNTT P017 152




Heather Beige <sup>UPF 50+</sup>  
SUNTT 5572 152




Hemp Beige <sup>UPF 50+</sup>  
SUNTT 5048 152



Taupe <sup>UPF 50+</sup>  
SUNTT 5548 152




Dark Smoke <sup>UPF 50+</sup>  
SUNTT 5085 152




Charcoal Grey <sup>UPF 50+</sup>  
SUNTT 5049 152




Flanelle <sup>UPF 50+</sup>  
SUNTT 5087 152




Cadet Grey <sup>UPF 50+</sup>  
SUNTT 5530 152




Marble <sup>UPF 50+</sup>  
SUNTT P052 152




Titanium <sup>UPF 50+</sup>  
SUNTT P054 152




Abyss <sup>UPF 50+</sup>  
SUNTT P058 152



Celestial <sup>UPF 50+</sup>  
SUNTT P057 152



Steel <sup>UPF 50+</sup>  
SUNTT P053 152



Captain Navy <sup>UPF 50+</sup>  
SUNTT 5057 152




Marine Blue <sup>UPF 50+</sup>  
SUNTT 5031 152



Atlantic Blue <sup>UPF 50+</sup>  
SUNTT P024 152



Arctic Blue <sup>UPF 50+</sup>  
SUNTT P023 152




Jet Black <sup>UPF 50+</sup>  
SUNTT 5032 152



Dark Navy <sup>UPF 50+</sup>  
SUNTT 5058 152




Forest Green <sup>UPF 50+</sup>  
SUNTT 5040 152



Burgundy <sup>UPF 50+</sup>  
SUNTT 5034 152



Graphite <sup>UPF 50+</sup>  
SUNTT 5082 152



Charcoal Piqué <sup>UPF 50+</sup>  
SUNTT 5088 152



Crimson Red <sup>UPF 50+</sup>  
SUNTT P015 152



Pepper <sup>UPF 50+</sup>  
SUNTT P056 152



## OVERALL CHARACTERISTICS / CARACTÉRISTIQUES GÉNÉRALES

Composition	100% Sunbrella® acrylic 100% acrylique Sunbrella®
Finish Finition	Resin based anti-fungi coating, water and UV resistant Enduction anti-fongique à base de résines, imperméable et résistante aux UV
Weave Armure - ISO 7211-1	Canvas Toile
Weight / Poids - ISO 3801	320 g/m <sup>2</sup>
Width / Laize - EN 1773	152 cm

## FABRIC STRENGTH / RÉSISTANCE DU TISSU



Oil-repellent properties Oléofugation - ISO 14419	5/8
Tensile strength Résistance rupture - ISO 13934-1	Warp 140 daN - Weft 130 daN Chaîne 140 daN - Trame 130 daN
Elongation at break Allongement à la rupture - ISO 13934-1	Warp 30% - Weft 15% Chaîne 30% - Trame 15%
Tear strength Résistance déchirure - ISO 13937-1	Warp 3,3 daN - Weft 2,5 daN Chaîne 3,3 daN - Trame 2,5 daN
Schmerber - ISO 811	1000 mm
Spray test - ISO 4920	4-5/5
Air permeability Perméabilité à l'air - ISO 9237	2,5 l/m <sup>2</sup> /s

## COLOUR RESISTANCE / RÉSISTANCE DES COULEURS

Colour fastness UV Solidité coloris UV - ISO 105 B02	7-8/8
Colour fastness weather condition Solidité coloris intempéries - ISO 105 B04	4-5/5
Colour fastness dry friction Solidité coloris frottement sec - ISO 105X12	5/5
Colour fastness wet friction Solidité coloris frottement humide - ISO 105X12	5/5

## USE / UTILISATION

Roll length / Longueur de coupe	50 m
Recommended use Utilisation recommandée	Spray hood, bimini, sun awning, dodgers, camper & cockpit enclosures, console cover, external windshield cover, winter cover, wheel & winch cover, mainsail cover Capote, bimini, taud de soleil, cagnards, fermetures arrières, fermetures de cockpit, housse de console, housse de pare-brise, housse d'hivernage, housse de barre à roue & de winch, housse de grand voile
Guarantee / Garantie	5 years* / 5 ans**

 <b>UPF 40</b>	This pictogram indicates that the fabric filters 97,5% of UVB rays / Ce picto vous indique que la toile filtre 97,5% des rayons UV.
 <b>UPF 50+</b>	This pictogram indicates that the fabric filters more than 98% of UVB rays / Ce picto vous indique que la toile filtre plus de 98% des rayons UV.

Dickson-Constant RCS Lille Métropole 381 347 970 - Edition 06/2019 - Sunbrella® is a registered trademark of Glen Raven, Inc.  
\*see warranty conditions on www.sunbrella.com - \*\*voir conditions générales de garantie sur www.sunbrella.com



The values of this product may vary depending on a tolerance variation of +/- 5%  
Les valeurs de ce produit peuvent varier selon une tolérance de +/- 5%.